


MERRILL

Known for
Service - Quality - Selection

2016
2nd Edition

**OVER
3,000
NO LEAD
ITEMS**



**BEST
Yard Hydrant Made
- SINCE 1949 -**

**MERRILL
MANUFACTURING CO.**

315 Flindt Drive
P.O. Box 392
Storm Lake, IA 50588-0392

1-800-831-6962
www.merrillmfg.com



PROUDLY MADE IN THE USA



MERRILL PHOTO INDEX


MFG. TM



1 Frost Proof Yard Hydrants
Pages 8-38



2 Pitless Units, Kits, Adapters
Pages 39-61



3 Well Caps, Well Seals
Pages 62-66



4 Floats, Air Volume Controls
Pages 67-70



5 Tank Tees, Tee Kits, Tee Acc.
Pages 71-88



6 Pressure Switches & Gauges
Pages 89-96



7 Splice Kits, Torque Arrestors,
Couplings Pages 97-105



8 Well Points, Pump Rod,
Cup Leathers Pages 106-114



9 Insert Fittings & Clamps
Pages 115-129



10 Frost Proof Wall Faucets
Pages 130-131



11 Check & Foot Valves
Pages 132-143

☆ No Lead

WS-SERIES CAST IRON WELL SEALS

WS- Series Cast Iron Well Seals

- 3/4" Thick Rubber Packer
- Painted Cast Iron
- Individually Boxed and Labeled



Single Drop Pipe
Split Top Plate



Double Drop Pipe
Split Top Plate



Well Seal Vent

Single Drop Pipe - Split Top Plate

Order No.	UPC Bar Code (Qty. 1)	Well Size I.D.	Drop Pipe	Cable Tapping	Vent Tapping	Approx. Wt./Lbs.
☆ WS400100	6 42367 02929 6	4"	1"	1"	1/2"	2.8
☆ WS400125	6 42367 02931 6	4"	1-1/4"	1"	1/2"	2.6
☆ WS400150	6 42367 02986 9	4"	1-1/2"	3/4"	1/4"	3.2
☆ WS400200	6 42367 02987 6	4"	2"	1/2"	1/4"	2.6
☆ WS40010075	6 42367 12438 0	4"	1"	3/4"	1/2"	2.8
☆ WS40012575	6 42367 12439 7	4"	1-1/4"	3/4"	1/2"	2.6
☆ WS450100	6 42367 02991 3	4-1/2"	1"	3/4"	1/2"	4.2
☆ WS450125	6 42367 02992 0	4-1/2"	1-1/4"	1"	1/2"	4.3
☆ WS500100	6 42367 02994 4	5"	1"	1"	1/2"	4.7
☆ WS500125	6 42367 02996 8	5"	1-1/4"	1"	1/2"	4.6
☆ WS500150	6 42367 02998 2	5"	1-1/2"	1"	1/2"	4.4
☆ WS500200	6 42367 03000 1	5"	2"	1"	1/2"	4.1
☆ WS558100	6 42367 03003 2	5-5/8"	1"	3/4"	1/2"	7.5
☆ WS558125	6 42367 03004 9	5-5/8"	1-1/4"	3/4"	1/2"	7.4
☆ WS600100	6 42367 02944 9	6"	1"	1"	1/2"	7.4
☆ WS600125	6 42367 02946 3	6"	1-1/4"	1"	1/2"	6.8
☆ WS600150	6 42367 03008 7	6"	1-1/2"	1"	1/2"	6.8
☆ WS600200	6 42367 03010 0	6"	2"	1"	1/2"	6.4
☆ WS625100	6 42367 02959 3	6-1/4"	1"	1"	1/2"	8.0
☆ WS625125	6 42367 04519 7	6-1/4"	1-1/4"	1"	1/2"	8.7
☆ WS625150	6 42367 03014 8	6-1/4"	1-1/2"	1"	1/2"	6.9
☆ WS625200	6 42367 03015 5	6-1/4"	2"	1"	1/2"	6.6
☆ WS800100	6 42367 03019 3	8"	1"	1"	1/2"	14.3
☆ WS800125	6 42367 03020 9	8"	1-1/4"	1"	1/2"	14.1
☆ WS800150	6 42367 03021 6	8"	1-1/2"	1"	1/2"	15.2
☆ WS800200	6 42367 03022 3	8"	2"	1"	1/2"	14.8
☆ WS800300	6 42367 03024 7	8"	3"	1"	1/2"	13.1
☆ WS800400	6 42367 03025 4	8"	4"	1"	1/2"	11.2
☆ WS100200	6 42367 02973 9	10"	2"	3/4"	1/2"	29.6
☆ WS100300	6 42367 02975 3	10"	3"	3/4"	1/2"	28.6
☆ WS100400	6 42367 02976 0	10"	4"	3/4"	1/2"	26.0
☆ WS100500	6 42367 02977 7	10"	5"	3/4"	1/2"	21.8
☆ WS120300	6 42367 02982 1	12"	3"	3/4"	1/2"	43.2
☆ WS120400	6 42367 02983 8	12"	4"	3/4"	1/2"	40.5
☆ WS120500	6 42367 02984 5	12"	5"	3/4"	1/2"	36.3

Double Drop Pipe - Split Top Plate

Order No.	UPC Bar Code (Qty. 1)	Well Size I.D.	Drop Pipe	Vent Tapping	Approx. Wt./Lbs.
☆ WS422510	6 42367 02932 6	4"	1-1/4" x 1"	1/2"	2.4
☆ WS522510	6 42367 03001 8	5"	1-1/4" x 1"	1/2"	5.3
☆ WS558251	6 42367 03005 6	5-5/8"	1-1/4" x 1"	1/2"	6.8
☆ WS622510	6 42367 02953 1	6"	1-1/4" x 1"	1/2"	6.9
☆ WS622525	6 42367 03011 7	6"	1-1/4" x 1-1/4"	1/2"	7.9
☆ WS625025	6 42367 03888 5	6"	1-1/2" x 1-1/4"	1/2"	7.8
☆ WS625251	6 42367 02960 9	6-1/4"	1-1/4" x 1"	1/2"	7.3
☆ WS652525	6 42367 03017 9	6-1/4"	1-1/4" x 1-1/4"	1/2"	6.8

Well Seal Vent

Order No.	UPC Bar Code (Qty. 1)	Size	Approx. Wt./Lbs.
☆ WSV50	6 42367 04303 2	1/2" x 3-3/4"	.06

☆ No Lead

WSP SERIES PLASTIC WELL SEALS

WSP- Series Plastic Well Seals

SINGLE OR DOUBLE DROP PIPE SOLID TOP PLATE



Plastic Well Seal

- Not for use with SDR17 casing
- Molded from Hi Impact ABS for extra strength and endurance
- Extra Thick Rubber Packer
- Individually Boxed and Labeled



WS422510P

WSP Series Plastic Well Seals Single Drop Pipe - Solid Top Plate

Order No.	UPC Bar Code (Qty.1)	Well Size I.D.	Drop Pipe	Cable Tapping	Vent Tapping	Approx. Wt./Lbs.
☆ WS200100P	6 42367 07111 0	2"	1"	—	—	0.3
☆ WS300100P	6 42367 07207 0	3"	1"	3/8"	1/4"	1.0
☆ WS400100P	6 42367 03879 3	4"	1"	3/4"	1/2"	1.5
☆ WS400125P	6 42367 02985 2	4"	1-1/4"	3/4"	1/2"	1.5
☆ WS400200P	6 42367 07605 4	4"	2"	3/4"	3/8"	1.8
☆ WS450100P	6 42367 05345 1	4-1/2"	1"	3/4"	1/2"	1.8
☆ WS500100P	6 42367 02995 1	5"	1"	1"	1/2"	2.0
☆ WS500125P	6 42367 02997 5	5"	1-1/4"	1"	1/2"	2.0
☆ WS500150P	6 42367 02999 9	5"	1-1/2"	3/4"	1/2"	2.0
☆ WS500200P	6 42367 05714 5	5"	2"	1"	1/2"	2.0
☆ WS600000P	6 42367 05955 2	6"	Blank	3/4"	1/2"	3.0
☆ WS600100P	6 42367 03006 3	6"	1"	1"	1/2"	3.0
☆ WS600125P	6 42367 03007 0	6"	1-1/4"	1"	1/2"	3.0
☆ WS600150P	6 42367 03009 4	6"	1-1/2"	1"	1/2"	3.0
☆ WS600200P	6 42367 05715 2	6"	2"	1"	1/2"	2.2
☆ WS625100P	6 42367 03012 4	6-1/4"	1"	1"	1/2"	3.3
☆ WS625125P	6 42367 10861 8	6-1/4"	1-1/4"	1"	1/2"	3.3
☆ WS800000P	6 42367 09554 3	8"	Blank	1"	—	5.0
☆ WS800100P	6 42367 07066 3	8"	1"	1"	1/2"	5.0
☆ WS800200P	6 42367 09290 0	8"	2"	1"	1/2"	5.0
☆ WS800300P	6 42367 07219 3	8"	3"	1"	1/2"	5.0

WSP Series Plastic Well Seals Double Drop Pipe - Solid Top Plate

Order No.	UPC Bar Code (Qty.1)	Well Size I.D.	Drop Pipe	Vent Tapping	Approx. Wt./Lbs.
☆ WS422510P	6 42367 09884 1	4"	1-1/4" x 1"	1/2"	1.5
☆ WS450251P	6 42367 07846 1	4-1/2"	1-1/4" x 1"	1/2"	1.8
☆ WS522510P	6 42367 09353 2	5"	1-1/4" x 1"	1/2"	2.0
☆ WS622510P	6 42367 08843 9	6"	1-1/4" x 1"	1/2"	3.3
☆ WS625251P	6 42367 11389 6	6-1/4"	1-1/4" x 1"	1/2"	3.3